

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	22	(clock near2 forward\$4)near2 interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:45
S2	1	S1 and (textur\$4 near2 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:58
S3	8	S1 and (((synchroniz\$4 or sync\$4)near3 data)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:49
S4	1	S1 and (write near3 (path or route))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:43
S5	1	S1 and (read near3 (path or route))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:26
S6	1	S1 and ((writ\$5 or sav\$4) near6 (path or route))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:44
S7	1	S1 and ((writ\$5 or sav\$4 or stor\$4) near6 (path or route))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:44
S8	18	koltzoff.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:44

S9	1	S8 and (textur\$4 near2 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:56
S10	1	S8 and ((clock near2 forward\$4)near2 interfac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:57
S11	40	(clock near2 forward\$4)near6 interfac\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:01
S12	1	S11 and (textur\$4 near2 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:00
S13	320	(textur\$4 near2 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:00
S14	308	(texture near2 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:00
S15	9	S14 same (((integrated near3 circuit)or IC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:01
S16	2	S14 and (((synchroniz\$4 or sync\$4)near3 data)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:12

S17	15	S11 and (((synchroniz\$4 or sync\$4)near3 data)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:05
S18	2	S1 and (read near6 (path or route or link or channel))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:27
S19	5	(memory near3 interface)with (forward\$3 near3 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:02
S20	68	kehlet.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:45
S21	2	S20 and (((clock near3 forward\$4)near6 interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:46
S22	1719	(read near2 path)same (write near2 path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:47
S23	2	S22 same (((clock near3 forward\$4)near6 interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:48
S24	2	S22 and (((clock near3 forward\$4)near6 interfac\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:48

S25	10	S22 and (((clock near3 forward\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:57
S26	3	S25 and (((synchroniz\$4 or sync\$4)near3 data)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 15:49
S27	74	((reduc\$4 or minimiz\$5 or low\$4 or optimiz\$4)near5 (clock near2 cycl\$2))with (read near6 write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:00
S28	1	S27 and (phase near6 (core or virtual))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:01
S29	1	S27 and ((clock near3 forward\$4)near6 interfac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:01
S30	1	S27 and ((memory near3 interface)same (forward\$3 near3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:04
S31	1	S27 and ((interface)same (forward\$3 near3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:03
S32	20	S27 and ((memory near3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:11

S33	4	S32 and (((synchroniz\$4 or sync\$4)near3 data)with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:06
S34	8	S32 and (((synchroniz\$4 or sync\$4))with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 16:07
S35	1	(write near3 (path or link or route or channel))with (forward\$4 near3 clock)	EPO; JPO; DERWENT	OR	ON	2005/02/17 07:46
S36	3	(write near3 (path or link or route or channel))with (forward\$4 near3 clock)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 07:46
S37	10	(write near3 (path or link or route or channel))with (clock near3 path)	EPO; JPO; DERWENT	OR	ON	2005/02/17 07:53
S38	76	(write near3 (path or link or route or channel))with (clock near3 path)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:08
S39	27	S38 and (read near3 (path or link or route or channel))with (clock near3 path)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 08:50
S40	19	S39 and (synchroniz\$5)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 07:54
S41	239	(read near3 (path or link or route or channel))with (pipeline)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 08:50
S42	1	S41 and (((compensat\$4 or adjust\$4)near4 (accumulated near3 (phase or skew or delay)))with (read near3 (path or link or route)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 08:53
S43	1	(((compensat\$4 or adjust\$4)near4 (accumulated near3 (phase or skew or delay)))with (read near3 (path or link or route)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 08:54

S44	0	((compensat\$4 or adjust\$4)near4 (accumulated near3 (phase or skew or delay)))with (read near3 (path or link or route)))	EPO; JPO; DERWENT	OR	ON	2005/02/17 08:54
S45	0	((compensat\$4 or adjust\$4)near4 (accumulated near3 (phase or skew or delay)))same (read near3 (path or link or route)))	EPO; JPO; DERWENT	OR	ON	2005/02/17 08:54
S46	0	((compensat\$4 or adjust\$4 or correct\$4)near4 (accumulated near3 (phase or skew or delay)))same (read near3 (path or link or route)))	EPO; JPO; DERWENT	OR	ON	2005/02/17 08:55
S47	2	((compensat\$4 or adjust\$4 or correct\$4)near4 (accumulated near3 (phase or skew or delay)))same (read near3 (path or link or route)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:01
S48	1	S41 and ((compensat\$4 or adjust\$4 or correct\$4)near6 (accumulated near3 (phase or skew or delay)))same (read near3 (path or link or route)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:01
S49	2	S41 and ((compensat\$4 or adjust\$4 or correct\$4)near6 ((phase or skew or delay)))same (read near3 (path or link or route)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:08
S50	5068	synchroniz\$5 near5 ((propagat\$4 or transfer\$4 or handl\$4)near3 data)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:10
S51	0	S50 with (clock near3 forward\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:05
S52	0	S50 with (clock near3 forward\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:05
S53	2	S50 with (clock near3 forward\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:07

S54	88	S50 and (clock near3 forward\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:10
S55	1	S54 and (((compensat\$4 or adjust\$4 or correct\$4)near6 ((phase or skew or delay)))same (read near3 (path or link or route)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:08
S56	2	S54 and ((write near3 (path or link or route or channel))with (clock near3 path))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:09
S57	2	S54 and ((read near3 (path or link or route or channel))with (clock near3 path))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2005/02/17 09:09
S58	845	synchroniz\$5 near5 ((propagat\$4 or transfer\$4 or handl\$4)near3 data)	EPO; JPO; DERWENT	OR	ON	2005/02/17 09:10
S59	3	S58 and (clock near3 forward\$3)	EPO; JPO; DERWENT	OR	ON	2005/02/17 09:12
S60	10	"0347557"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:13
S61	0	S60 and IBM	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 09:13
S62	4	"347557".pn.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:12
S63	1737	(((high\$3 near3 (speed or rate))near5 (data near4 (transfer\$4 or propagat\$4 or handl\$4))with (processor or cpu or controller))same (SDRAM or memory or SGRAM or RAM))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:23
S64	17	S63 and (clock near5 forward\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:17
S65	15	S64 and synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:18

S66	6	S64 and (synchroniz\$5 with clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:18
S67	38376	((data near4 (transfer\$4 or propagat\$4 or handl\$4 or exchang\$4))with (processor or cpu or controller))with (SDRAM or memory or SGRAM or RAM)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 10:23
S68	2	"20020016743".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 14:32